

GENERAL ASSEMBLY COMMONWEALTH OF KENTUCKY

2014 REGULAR SESSION

MONDAY, MARCH 17, 2014
,

The following bill was reported to the Senate from the House and ordered to be printed.

ALISON LUNDERGAN GRIMES
SECRETARY OF STATE
COMMONWEALTH OF KENTUCKY
BY

1 AN ACT relating to undergroun	d facility protection.
---------------------------------	------------------------

2 Be it enacted by the General Assembly of the Commonwealth of Kentucky:

- 3 → Section 1. KRS 367.4903 is amended to read as follows:
- 4 As used in KRS 367.4903 to 367.4917:
- 5 (1) "Underground facility" means an underground line or system used for producing,
- storing, conveying, transmitting, or distributing telecommunications, electricity,
- gas, petroleum, petroleum products, cable television, hazardous liquids, water,
- 8 steam, or sewerage, including storm drainage;
- 9 (2) "Damage" means weakening of structural or lateral support or penetration of a
- facility coating, housing, or other protective device. It also means the partial or
- 11 complete dislocation or severance of underground facilities or rendering any
- 12 underground facility permanently inaccessible by the placement of a permanent
- 13 structure having one (1) or more stories;
- 14 (3) "Demolition" means any operation by which a structure or mass of material is
- wrecked, razed, moved, or removed by means of mechanized equipment, or
- discharge of explosives;
- 17 (4) "Excavator" means any entity or individual, other than those exempted by KRS
- 18 367.4915, engaged in excavation, demolition, or timber harvesting using
- 19 mechanized equipment;
- 20 (5) "Operator" means any entity or individual owning or operating underground
- 21 facilities to serve the public;
- 22 (6) "Excavation" means any activity that results in the movement, placement, probing,
- boring, or removal of earth, rock, or other material in or on the ground by the use of
- 24 any tools or equipment, by the discharge of explosives, or by the harvesting of
- 25 timber using mechanized equipment. Forms of excavating include but are not
- limited to auguring, backfilling, digging, ditching, drilling, driving, grading, piling,
- pulling-in, ripping, scraping, trenching, and tunneling. *Driving wooden stakes by*

1		use of hand tools to a depth of six (6) inches or less below existing grade shall not
2		constitute excavation;
3	(7)	"Emergency" means there exists substantial likelihood that loss of life or property, f
4		or] the inability to restore interrupted utility service, an imminent danger to health
5		or the environment, or the blockage of public transportation facilities will result
6		before procedures required under KRS 367.4909 to 367.4913 can be completed;
7	(8)	"Protection notification center" means an operator-provided notification center
8		through which an excavator can contact the operator to enable the operator to
9		provide the excavator with the approximate location of underground facilities;
10	(9)	"Kentucky Contact Center" ["One call center"] means Kentucky Underground
11		Protection, Inc., organized as a nonprofit corporation and a multimember
12		protection notification center providing a single telephone contact number and
13		designated by the Kentucky Public Service Commission to be the sole recipient of
14		811 dialed calls through which an excavator may contact all Kentucky Contact
15		<u>Center</u> [operator one call center] members and all affected operators may receive
16		information to enable them to provide the excavator with the approximate location
17		of underground facilities;
18	(10)	"Routine road maintenance" means preservation, including road repairs and
19		resurfacing, and the replacement of signs, posts, and guardrails at the exact same
20		location when no additional penetration of existing grade is necessary, but does
21		not include road construction, installation of signs, posts, and guardrails, or any
22		activity that requires or penetration of existing grade;
23	(11)	"Approximate location," when referring to an underground facility, means:
24		(a) For underground metallic facilities and underground nonmetallic facilities
25		with metallic tracer wire, a distance not to exceed the combined width of the
26		underground facility plus eighteen (18) inches measured from the outer edge
27		of each side of the underground facility; or

1		(b) For nonmetallic facilities without metallic tracer wire, the underground
2		facility shall be located as accurately as possible from field location records
3		and shall require notification from the operator of the inability to
4		accurately locate the facility;
5	(12)	"Business day" means any day except Saturday, Sunday, and holidays established by
6		federal or state statute;
7	(13)	"Nonintrusive excavating" means excavation using hand tools or equipment that
8		uses air or water pressure as the direct means to break up soil for removal by hand
9		tools or vacuum excavation;
10	(14)	"Mechanized equipment" means mechanical power equipment, including trenchers,
11		bulldozers, power shovels, augers, backhoes, scrapers, drills, cable and pipe plows,
12		[hydroexcavators,]skidders, and yarders;
13	(15)	"Normal excavation locate request" means a notification made to a protection
14		notification center where a request for locating utility facilities is processed;
15	(16)	"Emergency locate request" means a notification made to a protection notification
16		center by an excavator to alert facility owners or operators of the need to begin
17		immediate excavation in response to an emergency; and
18	(17)	"Design information[locate] request" means a notification made to a protection
19		notification center by a person providing professional services and making a
20		<u>request</u> in preparation for bidding, preconstruction engineering, or other advance
21		planning efforts. A design <u>information</u> [locate] request may not be used for
22		excavation purposes.
23		→ Section 2. KRS 367.4909 is amended to read as follows:
24	(1)	Each operator shall provide protection notification center access to excavators.
25	(2)	Voluntary operator membership in the Kentucky Contact Center [one-call center]
26		shall satisfy the requirement of subsection (1) of this section.
27	(3)	Each operator member of the Kentucky Contact Center[one-call-center] shall

1		provide and update as needed to the <u>Kentucky Contact Center</u> [one-call center] the
2		general location of its underground facilities, the operator identity and business
3		address, and emergency notification telephone numbers.
4	(4)	An operator shall respond to facility locate requests as follows:
5		(a) To a normal excavation locate request within two (2) business days after
6		receiving notification from an excavator.
7		(b) To an emergency locate request as quickly as possible but not to exceed forty-
8		eight (48) hours after receiving notification from an excavator; and
9		(c) [Beginning one (1) year from July 12, 2012,]To a design information [locate]
10		request within ten (10) business days after receiving notification from the
11		person making the request[an excavator].
12	(5)	An operator shall, upon receiving an emergency locate request or a normal
13		excavation locate request:
14		(a) Inform the excavator of the approximate location and description of any of the
15		operator's facilities that may be damaged or pose a safety concern because of
16		excavation or demolition;
17		(b) Inform the excavator of any other information that would assist in locating
18		and avoiding contact with or damage to underground facilities;
19		(c) Unless permanent facility markers are provided, provide temporary markings
20		to inform the excavator of the ownership and approximate location of the
21		underground facility; and
22		(d) Notify the requesting party if underground facilities are not in conflict with the
23		excavation or demolition.
24	(6)	Upon receiving a design <u>information</u> [locate] request, an operator shall
25		contact[provide to] the person making the request within the time period specified
26		in subsection (4) of this section. The operator shall:
27		(a) Designate with temporary underground facility markers the location of all

1			underground facilities owned by the operator	within the area of the design				
2			information request as defined in Section 1 of t	his Act;				
3		(b) Provide to the person making the design information request a description						
4			of all underground facilities owned by the open	ator in the area of the design				
5			information request and the location of the	facilities, which may include				
6			drawings marked with a scale, dimensions	, and reference points for				
7			underground utilities already built in the area	or other facility records that				
8			are maintained by the operator; or					
9		<u>(c)</u>	Allow the person making the design informat	ion request or an authorized				
10			person to inspect the drawings or other r	ecords for all underground				
11			facilities with the proposed area of excav	ation at a location that is				
12			acceptable to the operator[the best available de	scription of all utility facilities				
13			within the area of the proposed excavation. Thi	s includes but is not limited to				
14			prints, maps, drawings, and other facility reco	ords of existing and proposed				
15			utility facilities].					
16	(7)	<u>An</u>	operator may reject a design information i	equest based upon security				
17		cons	iderations or if producing the information	will place the operator at a				
18		<u>com</u>	petitive disadvantage, pending the operator obt	aining additional information				
19		<u>conf</u>	firming the legitimacy of the notice. The ope	rator shall notify the person				
20		<u>mak</u>	ing the design information request and may req	uest additional information.				
21	<u>(8)</u>	Tem	porary underground facility markers shall consist	t of paint, chalk, flags, stakes,				
22		or a	ny combination thereof and shall conform to t	he following standards of the				
23		Ame	erican Public Works Association uniform color co	ode:				
24		(a)	Electric power distribution and transmission	Safety Rec				
25		(b)	Municipal electric systems	Safety Red				
26		(c)	Gas distribution and transmission	High visibility safety yellow				
27		(d)	Oil distribution and transmission	High visibility safety vellow				

1	(e)	Dangerous materials, product lines	High visibility safety yellow			
2	(f)	Telecommunication systems and cable television	Safety alert orange			
3	(g)	Temporary survey markings	Safety pink			
4	(h)	Police and fire communications	Safety alert orange			
5	(i)	Water systems	Safety precaution blue			
6	(j)	Sewer and storm drainage systems	Safety green			
7	(k)	Proposed excavation or construction boundaries	White			
8	(1)	Reclaimed water, slurry, and irrigation facilities	Purple			
9	<u>(9)[(8)]</u>	If extraordinary circumstances exist, an operator	shall notify the excavator of			
10	the	operator's inability to comply with this section.	Extraordinary circumstances			
11	incl	ude extreme weather conditions, force majeure,	disasters, or civil unrest that			
12	mak	te timely response difficult or impossible.				
13	<u>(10)</u> [(9)]	All underground facilities installed after Janua	ary 1, 2013, shall include a			
14	mea	ans to accurately identify and locate the underground	nd facilities from the surface.			
15	This subsection does not apply to the repair of existing facilities.					
16	→ S	Section 3. KRS 367.4911 is amended to read as for	llows:			
17	(1) (a)	Each excavator, or person responsible for	r an excavation, planning			
18		excavation or demolition work shall, not less th	an two (2) full business days			
19		nor more than ten (10) full business days prior	to commencing work, notify			
20		each affected operator of the excavator's intend	led work and work schedule.			
21		Contacting the applicable protection notificati	on centers shall satisfy this			
22		requirement.				
23	(b)	An excavator may commence work before the	e two (2) full business days			
24		provided for in paragraph (a) of this subsection	n have elapsed if all affected			
25		operators have notified the person that the	location of all the affected			
26		operators' facilities have been marked or that the	y have no facilities in the area			
27		of the proposed excavation, demolition, or timbe	r harvesting.			

Page 6 of 11
HB043010.100 - 1545 - 6380v GA

1	(2)	Locate requests	are val	id for	twenty-one	(21)	calendar	days	from	the	day	of	the
2.		initial request.											

- 3 (3) Each excavator shall provide each applicable protection notification center with adequate information regarding:
- 5 (a) The name of the individual making the notification;
- 6 (b) The excavator's name, address, and a telephone number;
- 7 (c) The excavation or demolition site location or locations, each of which shall
 8 not exceed two thousand (2,000) feet in length unless the excavator and
 9 operator agree to a larger area, the city or community, county and street
 10 address, including the nearest cross street;
- 11 (d) The type and extent of excavation or demolition to be performed;
- 12 (e) A contact name and telephone number of the person responsible for the work to be performed.
- 14 (4) If more than one (1) excavator will operate at the same site, each excavator shall
 15 notify the protection notification centers individually. Notification by an excavator
 16 will serve as notification for any of that excavator's employees. Failure by an
 17 excavator to notify the protection notification center does not relieve individual
 18 employees of responsibility.
- 19 (5) The excavator shall inform and provide to excavation or demolition site employees:
- 20 (a) The underground facility location provided by each operator;
- 21 (b) Any related safety information provided by each operator; and
- 22 (c) The locate request identification number assigned by <u>each</u>[the] protection notification center.
- 24 (6) The excavator shall protect and preserve temporary underground facility markers 25 until the scheduled excavation or demolition is completed.
- 26 (7) If, after the two (2) day period provided by KRS 367.4909(4)(a), the excavator finds 27 evidence of an unmarked underground facility at the site, he shall immediately

1	notify	the	protection	notification	center.

15

16

17

18

22

23

24

25

26

27

- 2 (8) The excavator shall contact the protection notification center to request remarking
- 3 two (2) business days in advance of the expiration of each twenty-one (21) day
- 4 period while excavation or demolition continues or if:
- 5 (a) The markings of any underground facility have been removed or are no longer visible; or
- 7 (b) The excavator has changed the work plan or location previously filed.
- 8 (9) (a) Each excavator who conducts or is responsible for any excavation or demolition that results in underground facility damage shall cease excavation or demolition activities and notify all affected operators of the location and nature of the underground facility damage.
- 12 (b) If the underground facility damage causes concern for public or workplace 13 safety, the excavator shall notify appropriate public safety agencies of the 14 location and nature of the safety concern.
 - (c) If the underground facility damage results in the escape of any flammable, toxic, or corrosive gas or liquid, the excavator shall cease excavation or demolition activities and immediately report to the appropriate authorities by calling the 911 emergency telephone number.
- 19 (10) When excavation or demolition is necessary within the approximate location of the 20 underground facility, the excavator shall hand-dig or use nonintrusive means to 21 avoid damage to the underground facility.
 - (11) Upon request by an operator <u>or when the proposed excavation location cannot be</u>

 <u>accurately identified</u>, an excavator shall mark the boundaries of the location to be
 excavated using the procedure set forth in KRS 367.4909(8)(k)[(7)]. <u>After marking</u>
 the boundaries, the excavator shall contact the protection notification center or
 centers. The requirements of KRS 367.4909(4) to (10) are reestablished upon the
 operator receiving notification of this marking from the protection notification

I		<u>cente</u>	er or centers. This marking shall not after, or relieve the excavator from				
2		complying with, the requirements of KRS 367.4905 to 367.4917.					
3		→ Section 4. KRS 367.4913 is amended to read as follows:					
4	(1)	Each	protection notification center shall:				
5		(a)	Operate the protection notification center during all business days;				
6		(b)	Provide a locate request identification number to the excavator for each				
7			excavation or demolition location request;				
8		(c)	Promptly after receiving an excavation or demolition work notification from				
9			an excavator, provide to each of its affected operator members the excavator				
10			information required by KRS 367.4911(3);				
11		(d)	Maintain a list of all its operator member's identities, business address and				
12			business and emergency telephone numbers and record this information in				
13			accordance with KRS 64.012 with the county clerk of each county where the				
14			operator member has underground facilities. The county clerk shall provide				
15			this information upon request for the actual cost of providing a copy, to be				
16			paid by the requesting party to the county clerk. The county clerk shall assume				
17			no liability associated with the receipt of this information from the protection				
18			notification center or for subsequent provision of this same information to the				
19			requesting party;[and]				
20		(e)	Make the operator members information list available to any person for				
21			inspection at its place of business without charge or provide a copy of the list				
22			to any person for any county upon request for a fee not to exceed the actual				
23			cost of providing a copy;				
24		<u>(1)</u>	Define and adopt policies and procedures for processing design information				
25			requests; and				
26		<u>(g)</u>	Provide the person making a design information request a list of identified				
27			operators that will receive notification and notify those operators.				

- 1 (2) The Kentucky Contact Center one-call center shall be governed by a board of
- 2 directors composed of representatives of member operators who are elected by the
- membership. Board seats may be filled by representatives of the following:
- 4 (a) A natural gas provider;
- 5 (b) An electric provider;
- 6 (c) A telecommunications provider;
- 7 (d) A water/sewer provider;
- 8 (e) An interstate pipeline operator;
- 9 (f) A municipal utility operator; and
- 10 (g) An advisory, nonvoting representative of one (1) of the following:
- 1. Home Builders Association of Kentucky;
- 12 2. National Electrical Contractors Association;
- 13 3. Associated General Contractors of Kentucky; or
- 4. Kentucky Association of Plumbing, Heating-Cooling Contractors.
- 15 (3) The <u>Kentucky Contact Center's</u>[one call center's] board of directors shall establish
- the method to calculate the cost of service provided by the center.
- 17 (4) <u>The Kentucky Contact Center</u>[Kentucky Underground Protection, Inc.] shall serve
- all Kentucky counties.
- → Section 5. KRS 367.4917 is amended to read as follows:
- 20 (1) An excavator who fails to comply with any provision of KRS 367.4911, or an
- operator who fails to comply with any provision of KRS 367.4909, shall be guilty of
- 22 endangering underground facilities and may be subject to a fine of two hundred and
- 23 fifty dollars (\$250) for the first offense, no more than one thousand dollars (\$1,000)
- for the second offense within one (1) year, and no more than three thousand dollars
- 25 (\$3,000) for the third and any subsequent offense.
- 26 (2) A protection notification center that fails to comply with any provision of KRS
- 27 367.4913 shall be subject to a fine of one thousand dollars (\$1,000) for each

1	CC
L	OTTONCO
1	offense.

- 2 (3) A person that knowingly provides false notice to a utility notification center of an
- 3 emergency as defined in KRS 367.4903 shall be subject to a fine of one thousand
- 4 dollars (\$1,000) for each offense.
- 5 (4) (a) All fines recovered for a violation of this section shall be paid to the general
- fund of the state, county, [or]city, or fire prevention agency which issued the
- 7 citation.
- 8 (b) In the event that more than one (1) government agency was involved, the court
- 9 shall direct an apportionment of the fines.

Speaker-House of Representatives

President of Senate

Attest: Oean C. Durgue
Chief Clerk of House of Representatives

Approved AB AB Governor